



## MR<sup>®</sup> 96 E UV LED Flashlight



### Product Characteristics

- UV LED flashlight (**Art. 4762**)
- White light <5 lux thanks to MUG filter
- Durable aluminium alloy
- Good heat dissipation
- One year warranty incl. UV LED
- Certificate is supplied

### Technical Data

<b>Item number</b>	96E (Art. 4762)
<b>UV lamp risk class acc. to DGZfP EM6*</b>	3
<b>UVA*</b>	Max. 30 Watt/m <sup>2</sup>
<b>Cone of light</b>	Ø 140mm > 10 Watt/m <sup>2</sup>
<b>Weight without battery</b>	64 g
<b>Dimensions</b>	L = 120 mm, Ø = 24 mm
<b>Wavelength (Peak)</b>	365 nm ± 5 nm
<b>Power supply</b>	1x 18650 Lithium
<b>Operating time</b>	Depending on the battery, min. 1.5 hrs.
<b>Lifespan UV LED**</b>	ca. 10,000 h
<b>Waste heat</b>	45 °C
<b>IP protection class acc. to DIN EN 60529</b>	IP67 (waterproof)

\*measured at a distance of 38 cm from the surface

\*\*under laboratory conditions according to the manufacturer's instructions

\*\*Technical changes reserved!\*\*




## MR<sup>®</sup> 96 E UV LED Flashlight

### Further Notes




### Scope of Delivery



MR 96 E  
UV LED flashlight

Art. 4762



CASE  
Suitable for MR 96 E

Art. 162



2 LITHIUM-ION BATTERIES  
Type 18650



USB CHARGER  
For Battery Type 18650

Please remove battery foil before use!

**\*\*Technical changes reserved!\*\***



**MR<sup>®</sup> 96 E UV LED Flashlight**



**Optionally available**



**CHARGER**  
Forr 2x Li-Ion Battery  
(Charging time 4 hrs.)

**Art. 211**



**2 X 18650 ERSATZ-AKKUS Art. 264**  
Suitable for MR 96 E

Please remove battery foil before use!

**\*\*Technical changes reserved!\*\***